Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light

sources		L/ 11/6/1 (2.6) 2.613/ 2	ors with regard to energ	By labelling of light
Supplier's nam	e or trade mark:	Xavax		
Supplier's addr	ress: Produktman	agement, Dresdner	Strasse 9, 86653 Monhe	eim, DE
Model identifie	er: 00111441 40V	V Speziallampe Back	kofen	
Type of light so	ource:			
Lighting technology used:		other	Non-directional or directional:	NDLS
Light source cap-type		E14		
(or other electric interface)				
Mains or non-n	nains:	MLS	Connected light source (CLS):	Nein
Colour-tuneabl	e light source:	Nein	Envelope:	-
High luminance	e light source:	Nein		
Anti-glare shiel	d:	Nein	Dimmable:	Yes
		Product para		
Parameter		Value	Parameter	Value
		General product p		I
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		40	Energy efficiency class	G
Useful luminous flux (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		330 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 500
On-mode power (P _{on}), expressed in W		40,0	Standby power (P _{sb}), expressed in W and rounded to the second decimal	0,00
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	80
Outer dimensions without	Height	76	Spectral power	See image
	Width	45	distribution in the	in last page
	Depth	45		

separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)		range 250 nm to 800 nm, at full-load	
Claim of equivalent power ^(a)	Ja	If yes, equivalent power (W)	40
		Chromaticity coordinates (x and y)	0,470 0,411

(a)'-': not applicable; (b)'-': not applicable;

Spectra

